

# ***Assembly and operating instructions***



***Transport platform /  
Building hoist***

**Load capacity**

**Transport platform max. 1500 kg  
Building hoist max. 2000 kg**

**Year of manufacture: 2005**

**Serial number: 1700600633 B**

**GEDA<sup>®</sup>**  
**DECHENTREITER**  
**GmbH & Co. KG**

---

Mertinger Straße 60 • D-86663 Asbach-Bäumenheim

Telefon + 49 (0) 9 06 / 98 09-0

Telefax + 49 (0) 9 06 / 98 09-50

Email: [info@geda.de](mailto:info@geda.de)

WWW: <http://www.geda.de>

Art.-no.	Description	Weight approx. kg
2606	<p><b>GEDA 1500 Z/ZP</b></p> <p>Transport platform with 2 galvanized steel masts for max. of 7 persons and loads</p> <ul style="list-style-type: none"> <li>- Lifting capacity <b>1000-1500 kg for persons / 1000-2000 kg for loads</b></li> <li>- Hoisting speed <b>12/24 m/min</b></li> <li>- Max. lifting height 100 m</li> </ul> <p>Comprising:</p> <p>Foot section with 4 adjusting spindles and 2 base masts 2.0 m</p> <p>Drive package with <b>2 x 3.0 /6.1 kW/400 V/50 Hz</b></p> <ul style="list-style-type: none"> <li>- Manual controls 5m, pluggable</li> <li>- Catch control system 10m, pluggable</li> <li>- Automatic lubrication facility</li> </ul>	930
<b>Types of platforms</b>		
2610	<p><b>Platform „A“ 1,45 x 1,65 x 1,1/1,8 m</b> 1 loading door /1 unloading flap</p>	400
2611	<p><b>Platform „B“ 1,45 x 3,3 x 1,1/1,8 m</b> 1 loading door /1 unloading flap</p>	610
2622	<p><b>Platform „BL“ 1,45 x 4,15 x 1,1/1,8 m</b> 1 loading door /1 unloading flap</p>	700
2621	<p><b>Platform „BS“ 1,45 x 3,3 x 1,1/1,8 m</b> 1 loading door /1 unloading flap</p>	615
2623	<p><b>Platform „BLL“ 1,45 x 4,95 x 1,1/1,8 m</b> 1 loading door /1 unloading flap</p>	
2612	<p><b>Platform „C“ 2,9 x 1,65 x 1,1/1,8 m</b> 2 folding doors for loading /1 unloading flap, left</p>	590
2613	<p><b>Platform „D“ 2,9 x 1,65 x 1,1/1,8 m</b> 2 folding doors for loading /1 unloading flap, right</p>	590
2614	<p><b>Platform „E“ 2,9 x 1,65 x 1,1/1,8 m</b> 2 folding doors for loading /2 unloading flaps</p>	665
2615	<p><b>Platform „F“ 4,35 x 1,65 x 1,1/1,8 m</b> 2 folding doors for loading /1 unloading flap, left</p>	815
2616	<p><b>Platform „G“ 4,35 x 1,65 x 1,1/1,8 m</b> 2 folding doors for loading /1 unloading flap, right</p>	815
2617	<p><b>Platform „H“ 4,35 x 1,65 x 1,1/1,8 m</b> 2 folding doors for loading /2 unloading flaps</p>	870
2618	<p><b>Platform „I“ 4,35 x 1,65 x 1,1/1,8 m</b> 2 folding doors for loading /1 unloading flap in the middle</p>	815



## **EC Declaration of Conformity**

**in accordance with appendix II of machinery directive 98/37/EEC**

We, **GEDA-Dechentreiter  
GmbH & Co. KG  
Mertinger Str. 60  
D-86663 Asbach-Bäumenheim**

that the machine designated in the following is suitable for transporting material (as a construction lift) and for conveying a max. of 7 persons (as transport platform) on construction sites. The model we have issued corresponds to the pertinent, fundamental safety and health requirements of the EC directive.

This declaration will be rendered invalid by any change made to the equipment without our consent.

Designation of device: **GEDA 1500 Z/ZP**

Serial-No. **1700600633 B**

Relevant EC guidelines: **EC machinery guide (98/37/EEC)  
EMC-guideline (89/336/EEC)**

Inspection point: **Fachausschuß „BAU“  
Prüf- and Zertifizierungsstelle in the BG – PrüfZert  
Steinhäuserstraße 10  
76135 Karlsruhe**

European Notified body No: **0547**

EC Type Test Certificate No: **02095**

Harmonized standards used **EN ISO 12100-1 and EN ISO 12100-2; EN 60 204-1**

Date/Manufacturer's signature **23.06. 005**

The image shows the GEDA logo in blue, with the text 'GEDA' in a large, bold font. Below it, in smaller text, is 'DECHENTREITER GmbH &amp; Co. KG', 'Mertinger Str. 60', and '86663 Asbach-Bäumenheim'. A blue ink signature is written over the logo.

Details of signatory:: **Josef Hafner General Sales Manager**

## 17 Appendix for entry of annual inspection

**Findings of inspection**

\_\_\_\_\_  
Date and signature of inspector

**Findings of inspection**

\_\_\_\_\_  
Date and signature of inspector